

```

/*****
Template header file for Hierarchical State Machines AKA StateCharts
02/08/12 adjustments for use with the Events and Services Framework Gen2
3/17/09 Fixed prototypes to use Event_t
*****/

#ifndef INTERMISSION3_HSM_H
#define INTERMISSION3_HSM_H

#include "ES_Types.h"
#include "ES_Configure.h"
#include "ES_Timers.h"
#include "ADS12.h"
#include <hidef.h>
#include <mc9s12e128.h>
#include <Bin_Const.h>
#include <termio.h>
#include <S12eVec.h>
#include <stdio.h>
#include <S12e128bits.h> //from osagi's file, is this redundant?
#include <stdlib.h>

#include "MasterHSM.h"
#include "DrivingHSM.h"
#include "SensorService.h"

// #define PRINT_INTERMISSION3_HSM_CALLS
// #define PRINT_INTERMISSION3_HSM_STATES
// #define PRINT_INTERMISSION3_HSM_EVENTS

// typedefs for the states
// State definitions for use with the query function
typedef enum {GoingToWall3} Intermission3State_t ;

// Public Function Prototypes

ES_Event RunIntermission3HSM(ES_Event CurrentEvent);
void StartIntermission3HSM(ES_Event CurrentEvent);
Intermission3State_t QueryIntermission3HSM(void);

#endif /* INTERMISSION3_HSM_H */

```